



Etac Cross 5 and Cross 5 XL

For better seating and propulsion





Etac Cross 5

Etac Cross 5 wheelchairs combines maximum comfort with optimum functionality.

The best seating and propulsion

The multi-adjustable back support, the unique frame design and the large variety of options ensure each user a wheelchair with the best seating and propulsion properties possible.

Shape is created with the user in the wheelchair

Adjusting Cross 5 wheelchair is easy and requires minimum of tools. Choose seat width and the wheelchair can be set and reset to meet individual needs. The multi-adjustable 3A back support can be set asymmetrically and also be to extend the seat depth. All fine tunings can be done with the Cross 5 wheelchair user positioned in the chair. The chassis' unique stability means that the Cross 5 wheelchair responds rapidly while propelling and turning.



Features



3A back support

The combination of angle, height and contour adjustments create the best conditions for trunk support and stability. Available in Standard and high version. Easy to adjust.




Double cross brace

Cross 5 has a very durable cross folding frame design with the stability of a rigid frame which ensures a long product life span and the best propulsion properties.



36 + 2 rear wheel positions

The rear wheels can be fitted in four positions in each hole. More settings both horizontally and vertically, ensures the perfect seat height and balance.



Extra low seat height

Fitting a 20" rear wheel in the upper row, gives a seat height of 34 cm (13½").



38 possible propulsion wheel positions make it possible to adjust the seat height from 34 to 53 cm. Less distance between steps in wheel settings – both horizontally and vertically – ensures perfect balance and propulsion.

Cross 5 Model	Item No.	Total width	Seat depth from back support tube	Weight with rear wheel
35 cm short	13123001	56,0 cm	36-49 cm	15,0 kg
35 cm long	13123002	56,0 cm	42-55 cm	15,2 kg
37,5 cm short	13123003	58,5 cm	36-49 cm	15,1 kg
37,5 cm long	13123004	58,5 cm	42-55 cm	15,3 kg
40 cm short	13123005	61,0 cm	36-49 cm	15,2 kg
40 cm long	13123006	61,0 cm	42-55 cm	15,4 kg
42,5 cm short	13123007	63,5 cm	36-49 cm	15,3 kg
42,5 cm long	13123008	63,5 cm	42-55 cm	15,5 kg
45 cm short	13123009	66,0 cm	36-49 cm	15,5 kg
45 cm long	13123010	66,0 cm	42-55 cm	15,7 kg
47,5 cm short	13123011	68,5 cm	36-49 cm	15,6 kg
47,5 cm long	13123012	68,5 cm	42-55 cm	15,8 kg
50 cm short	13123013	71,0 cm	36-49 cm	15,7 kg
50 cm long	13123014	71,0 cm	42-55 cm	15,9 kg

Weights and dimensions given are for a chair with 24" rear wheels with quick-release hubs, high pressure tyres, aluminium handrims, leg supports, foot supports, brakes, arm supports, 6½" castors with medium forks. The measurements given may vary by ± 2%.

Front seat height 34-53 cm	Total height 74-128 cm	Rear wheel diameter 46,5–48,5 cm
Rear seat height 34-56,5 cm	Total length 102-122 cm	Max user weight 135 kg
Back support height 32-45 cm with standard back support 3A.	Length when folded 76-92 cm	
Back support 3A high 38-51 cm	Leg support length 26-64 cm	
Transport width 32 cm	Leg support angle 108°–114°	



Etac Cross 5 XL

With 160 kg weight capacity.

The best seating and propulsion

The combination of an adequate seat width and the unique 3A back support adjustments enable a voluminous user sufficient space for the trunk.

Powerful and elegant

Cross 5 XL wheelchair has the same conditions for seat comfort and mobility as Cross 5. The multi adjustable 3A back support can be set to provide extra space at rear and enabling perfect trunk balance. The shape is fine-tuned with the tension adjustable back straps. Also Cross 5 XL responds rapidly while propelling and turning thanks to the chassis' unique stability.



Features



3A back support

The combination of angle, height and contour adjustments create the best conditions for trunk support and stability. Available in Standard and high version. Easy to adjust.



Double cross brace

Cross 5 has a very durable cross folding frame design with the stability of a rigid frame which ensures a long product life span and the best propulsion properties.



36 + 2 rear wheel positions

The rear wheels can be fitted in four positions in each hole. More settings both horizontally and vertically, ensures the perfect seat height and balance.



Extra low seat height

Fitting a 20" rear wheel in the upper row, gives a seat height of 34 cm (13½").



Cross 5 XL has the same qualities and functions as the Cross 5. To withstand tougher requirements, the back support is equipped with a foldable cross brace and the front forks are reinforced.

Cross 5 XL / Model	Item No.	Total width	Seat depth from back support tube*	Weight with rear wheel
47.5 cm short	13123111	68.5 cm	36-49 cm	15.9 kg
47.5 cm long	13123112	68.5 cm	42-55 cm	16.1 kg
50 cm short	13123113	71.0 cm	36-49 cm	16.0 kg
50 cm long	13123114	71.0 cm	42-55 cm	16.2 kg
52.5 cm short	13123115	73.5 cm	36-49 cm	16.1 kg
52.5 cm long	13123116	73.5 cm	42-55 cm	16.3 kg
55 cm short	13123117	76.0 cm	36-49 cm	16.3 kg
55 cm long	13123118	76.0 cm	42-55 cm	16.5 kg
57.5 cm short	13123119	78.5 cm	36-49 cm	16.4 kg
57.5 cm long	13123120	78.5 cm	42-55 cm	16.6 kg
60 cm short	13123121	81.0 cm	36-49 cm	16.5 kg
60 cm long	13123122	81.0 cm	42-55 cm	16.7 kg

* With triangular back.
Weights and dimensions given are for a chair with 24" rear wheels with quick-release hubs, massive tyres, stainless steel handrims, Cross brace back, leg supports, foot supports, heel straps, brakes, arm support attachment, 6½" castors with medium forks. The measurements given may vary by ± 2%.

Front seat height 34-56.5 cm	Total height 74-128 cm	Rear wheel diameter 46.5-48.5 cm
Rear seat height 34-53 cm	Total length 102-122 cm	Max user weight 160 kg
Back support height 32-45 cm with standard back support 3A.	Length when folded 76-92 cm	
Back support 3A high 38-51 cm	Leg support length 26-64 cm	
Transport width 32 cm	Leg support angle 108°-114°	



Accessories



Head support

New softer and more generous design. Cover easy to remove for washing. Adjustable in height, angle and sideways.



Tidy hygiene cover

Hygiene cover for 3A back support. Material: Dartex. Water repellent, wipeable with wet cloth, washing 90° C. Can be supplied with customized embroidery.



Head support with side support

Adjustable in height, depth, angle and sideways. The upholstery is detachable and washable. Combine with head support attachment.



Bow handle

Height-adjustable and detachable.



Head support attachment

Easy detachable with snap-lock.



Push handle

Height-adjustable and detachable.



Shapeably upholstery

Six velcro straps, the top one being wider and firmer.



Fixed push handle



3A back

Height 38-51 cm (15"-20"). Hip and lumbar angle adjustments.



Rear cross brace

Stabilizing cross brace. Fitted in the 3A profile. Foldable with snap lock.



Cover

Soft elasticated cover. Dark grey plush.



Back wedge plush, long

30 cm (12") long. Soft wedge that attaches with velcro under the cover. Combine with side stop straight or with width extending. Upholstery: dark grey plush. Sold per piece.



Comfort cover

With extra thick padding. Dark grey plush.



Back wedge plush, short

15 cm (6") long. Soft wedge that attaches with velcro under the cover. Combine with side stop straight or with width extending. Upholstery: dark grey plush. Sold per piece.



ECS seat- and back system

Separate seat and back system with different covers and paddings. Visit etac.com for further information.



Side stop, straight

Combine with wedges or side cushion. Height adjustable. Sold per piece.



Trunk support, adjustable

Adjustable in height and depth. For body close fitting and space for free arm movement, the rod that holds the pad is available in four versions. Detachable without tools. Sold per piece.



Side stop, width extending 1.5 cm (½")

Extends width by 1.5 cm (½") per side. Combine with wedges. Sold per piece.



Trunk support, swing away

Adjustable in height and depth. No conflict with arm supports thanks to the rear fitted hinge. For body close fitting and space for free arm movement, the rod that holds the pad is available in three versions. Sold per piece.



Side stop, width extending 3 cm (1")

Extends width by 3 cm (1") per side. Combine with wedges and larger cover. Sold per piece.



Wedges, mod. 1 (small)

Cell foam with Velcro attachment. Length: 13 cm (5") Width: 9.5 cm (4") Height: 2 cm (¾") Sold per pair.



Arm support



Wedges, mod. 2 (medium)

Cell foam with Velcro attachment. Length: 19 cm (7½") Width: 12 cm (5") Height: 2 cm (¾") Sold per pair.



Leg support, standard

Black. Detachable and swing-away. Also available with locking device.



Wedges, mod. 3 (large)

Cell foam with Velcro attachment. Length: 20 cm (8") Width: 17 cm (6½") Height: 2.5 cm (1") Sold per pair.



Leg support, narrow

Brings the foot support 5 cm (2") closer to the frame. Can only be used with 4" or 5" castors. Also available in a short version and with locking device.



Side cushion

Embracing support. Rotate to choose between two different shapes. Supported by the arm support and/or side stop straight. Sold per piece.



Elevating leg support with calf support

With foldable calf support adjustable in two different heights on the leg support pipe. Fits right and left side.



Accessories, cont.



Cover, calf support

For elevating leg support.
Dark grey plush or black Dartex.



Calf strap

Removable, adjustable in length.



Foot support

Foldable and adjustable in depth and angle.
Adjustable in height. Supplied with standard attachment tube. Also available with short and long attachment tubes.



Cover, calf strap

Provides a softer support.
Available in 20 cm (7¾"), 30 cm (11¾") and 40 cm (15¾") lengths.



Foot support cover

For added comfort, plush.



Padded Calf strap

Soft and warm comfort, Velcro adjustment.
Assembly on fixed or elevating leg support.



Foot support, one-piece

Foldable and adjustable in height, depth and angle.



Heel strap

Adjustable length. Cannot be combined with the extended foot support.



Soft padding, platform Cross

For added comfort. Plush.



Amputee leg support

Adjustable in height, depth, angle and also sideways. Fits both left and right side.
Upholstery: Dark grey plush or black Dartex.



Foot support, child

Adjustable in height, depth and angle.
Available in seat width 35 and 37.5 cm (13¾" and 14¾"). Removable.



Amputee weight

Counteracts risk of tipping for amputee users and improves propelling qualities. Detachable and angle adjustable. Can be combined with Amputee support. Weight: 3 kg (6,6 lbs).



Extended foot support

Enlarges the foot support depth.
Fitted on the existing foot support.



Rear wheels

20", 22" or 24", as well as 24" lightweight rear wheel. Solid or pneumatic wheels tyres. The lightweight wheels have high pressure pneumatic tubes.



Handrims

Choose from plastic-coated, foam rubber, aluminium, titanium and stainless.



Brake with extension handle

The brake lever can be angled forward to facilitate sideways transfers.



One arm drive

Fits the left or right sides of the chair. Cannot be combined with attendant brake.



One hand brake

Right or left side. Can be combined with drum brake wheel.



Castors

4", 5", 6.5" or 8".



Attendant brakes alt 1

With reduced handle grip for persons with smaller hands. 75 mm (3") between handle grip and brake lever.



Camber angle

Standard 2°, optional 0°.



Attendant brakes

100 mm (3 3/4") between handle grip and brake lever.



Spoke guards

Available in grey or yellow print.



Solid seat

Detachable. Supplemented with suitable seat cushion. Low mounting.



Brake with angled handle

Provides a larger gripping surface. Colour: Black



High mounting kit, solid seat

Accessory kit to fit the solid seat at the same height as the seat tubes.



Brake with angled handle

Provides a larger gripping surface. Colour: Red



Seat cushion

Anatomically shaped seat cushion. 52 cm long (20.1/2"). Cutted to adjusted seat depth. Upholstery: dark grey plush.



Accessories, cont.



Tidy hygiene seat cushion

With hygiene cover. Water repellent, wipeable with wet cloth, washing 90° C. Length 46 cm (18") (width 35-40 cm (13¾-15¾"), Length 50 cm (19¾") width 42,5-60 cm (16¾-23¾").



Hemi tray, foldable

Adjustable in depth and width. Folds sideways. Attached to the arm support brackets. The height is set using the arm support.



Seat extender

Attached to the seat with Velcro. Increases seat depth by 7 cm (2¾").



Attachment, chest harness

Assembled on rod for head support.



Telescopic anti-tips

Foldable, height, adjustable in depth and angle. Fits all seat heights.



Positioning belt

With snap-lock, length adjustable. Two alternative attachment points on the frame.



Seat widening kit

Increases the distance between the arm supports by 2 cm (¾"). The total width also increases by 2 cm (¾").



Cane holder

In two parts; the cup is fitted to the inside of one of the tilters and the elastic strap is fitted around the cane.



Widening castor housing

Moves the castor 3 cm (1¼") outwards. The chair's total width is not changed.



IV stand

Compl. with attachment.



Widening castor housing, short

For 4" and 5" castor. For extra low seat heights.



Tool kit

Contains three ring spanners, five Allen keys, one socket spanner and one Phillips screwdriver.



Tray

Transparent. Fits onto long arm supports.

Frame colours



Black -01



Dark blue -93



White





Maintaining and even improving a wheelchair user's functionality requires an optimally adjusted wheelchair based on the individual's abilities.

With the Etac wheelchairs, shape and support are simply created by the rehab professional, with the user seated in the wheelchair.

With an ability based approach we can strengthen the user's activity level.

We call it Ability Based Seating™.

“Everyone should be able to live a free and independent life and pursue their dreams regardless of any physical circumstances”

For the latest news and continuously updated product information – visit: www.etac.com